

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Address	<b>Kien Safety Glass Sdn. Bhd.</b> Lot 1558, Kampung Jaya Industrial Area Off Jalan Hospital 47000 Sungai Buloh, Selangor Darul Ehsan
Country	Malaysia

## PRODUCTS OR MACHINERY

**KSG Tempered Glass** is a heat-treated glass which is several times stronger than ordinary annealed glass. It is manufactured by heating up the float glass to a high temperature, then blowing air onto its surface, cooling it down swiftly and uniformly.

**KSG Laminated Glass** has almost the same strength as ordinary annealed glass of the same thickness. KSG Laminated Glass is a safety glazing material made by bonding layers of glass, using heat and pressure, with one or more interlayers of tough polyvinyl butyral film (PVB). The glass sheets may be of same or different thickness.

**CVD (Chemical Vapor Deposition) Low-E** is highly transmittance for visible light and neutral in colour "On-line Low-E" (Low Emissivity) glass. CVD Low-E glass having a durable pyrolytic surface, this CVD Low-E glass is easily fabricated to value-added secondary glass products such as insulating glass units (IGU), tempered glass and laminated glass.

**KSG Heat Strengthened Glass** manufactured similarly to Tempered Glass, except the glass is cooling less rapidly. Heat Strengthened Glass is twice as strong and possesses greater impact compared to ordinary glasses. When broken, the pattern is similarly to ordinary glasses but the fragments lock together and remains in the frame. Heat Strengthened Glass offer good resistance to thermal stress, although less than Tempered Glass.

**Double Glazing Units (DGU) or Insulated Glass Units (IGU)** consist of two or more pieces of glass separated by an airspace and an aluminium spacer around the edges, sealed to the perimeter in controlled conditions. The spacer contains a desiccant (drying agent) which eliminates moisture vapour in the cavity.

Company Profile of **Kien Safety Glass Sdn. Bhd.**

A service of glasssglobal.com, an affiliate of glasssglobal group.

The address material you printed out is copyright and belongs to the Company or to its third party Marketing Agency, and all rights are reserved. Any User who accesses such material may do so only for its own personal use, and the use of such material is at the sole risk of the User. Redistribution or other commercial exploitation of such address material is expressly prohibited. Where such address material is provided by a third party, each User agrees to observe and be bound by the specific terms of use applying to such news material. Glass Global does not represent or endorse the accuracy or reliability of any of the info contained in any address or external websites referred to in this printout.[www.glasssglobal.com](http://www.glasssglobal.com) - The International Portal to the Glass Industry - OGIS GmbH