

Address	Linde AG Linde Gas Division Carl-von-Linde-Strasse 25 85716 Unterschleissheim
Country	Germany
Phone	0049 89 31001 5680
Fax	0049 89 31001 5699
Email	Get in contact with Linde AG
Internet	www.linde-gas.com/glass

Contact Persons

Contact 1.	Mr. Michael Seys Head of Industry Segment Glass & Fibres Phone: 0049 89 31001 5282
Contact 2.	Mr. Christoph Laumen Head of Metals & Glass Phone: 0049 89 31001 5695 Fax: 0049 89 31001 5315
Contact 3.	Mr. Stephen M. Carney Phone: 0049 89 31001 5690 Fax: 0049 89 31001 5699
Contact 4.	Mr. Matthias Görisch Vertrieb Anwendungstechnik Metallurgie – Glas & Keramik Phone: 0049 911 4238 175 Fax: 0049 911 4238 179
Contact 5.	Mr. Uwe Neubauer Vertriebsregion Süd Leiter Lebensmittel Phone: 0049 911 42 38 146 Fax: 0049 911 42 38 179
Contact 6.	Mr. Malte Redenz ECOVAR-Versorgungen Phone: 0049 3461 853-387 Fax: 0049 3461 853-372
Contact 7.	Mr. Hartmut Zschiesche Vertriebsregion Ost Leiter Metallurgie Phone: 0049 3461 853-385 Fax: 0049 3461 853-301
Contact 8.	Mr. Burghard Raasch Vertrieb Anwendungstechnik Engineering Phone: 0049 40 853121 294 Fax: 0049 40 853121 250
Contact 9.	Mr. Antoni Tardio Responsable Procesos de Combustión, Market Development ES Phone: 0034 93 4767400 Fax: 0034 93 4767404

Products or Machinery

- » Industrial gas, oxygen, technical gas etc.
- » oxygen-supply systems
- » oxyfuel burner systems for glass furnaces
- » small burners for glass treatment and forming
- » glass mould coating
- » krypton and xenon gas for insulation glass
- » oxy fuel
- » oxy-fuel
- » oxy fuel boosting
- » oxy boosting
- » all oxy fuel

Glass Melting

Using oxygen to optimise glass melting processes and comply with increasingly strict legislation

melting glass with oxyfuel

Using oxygen instead of air in glass combustion processes offers a number of benefits. It eliminates the nitrogen ballast and therefore increases flame temperatures. Oxygen-enriched solutions also raise the concentration of CO₂ and H₂O in the vicinity of the flame. And since these gases are mainly responsible for thermal radiation, they make gas jets more efficient.

There are a variety of ways to increase combustion efficiency when melting glass. These include:

- All-oxyfuel
- Oxyfuel boosting
- Oxygen enrichment/lancing.

We offer a range of oxygen-based combustion solutions. These innovative technologies bring a host of benefits, including:

- Reduced emissions/CO₂ footprint
- Energy savings
- Increased productivity
- Improved glass quality
- Elimination of nitrogen ballast
- Improved heat transfer.

Burner Technologies

Deployed correctly, burners help control heat input more accurately, improve glass circulation and enhance batch melting. You can combine our burners with oxygen lances to increase your melting capacity further. We offer a range of burners tailored to individual applications.

Supporting Services

We offer fast, efficient delivery and support services to keep your furnace running with virtually no interruptions and help prolong its service life. Our oxyfuel service also enables you to continue production during regenerator or recuperator repairs by eliminating the need for a heat recovery device.

Company Background / History

One of the most important gas suppliers world-wide Linde Gas is the first choice of over 1.5 million customers in over 50 countries – customers that benefit from our gas application technology and specialist services as well as our wide range of hardware. Linde Gas offers high-level, technological quality.

We are positioned to develop and implement individual solutions around the world. Innovative technologies transformed into practicable solutions are the driving force behind the progress of our day-to-day business. In our research and development, ideas are converted into new technologies that help our customers secure competitive advantages and open new market opportunities. Our expertise, innovation and creativity are placed at your disposal. Your future begins today. With Linde Gas.