



HONGXING GLASS CONGO SARL

a subsidiary of China West Cement Limited (stock code 2233.HK)



Company Profile:

Hongxing Glass Congo Sarl is a subsidiary of **Wes International Holdings Limited**, an innovative high-tech factory on glass research and development, production and sales, located in the district of Lifoula of Kintélé City, Pool Province, Republic of Congo, and is the largest glass producer in the Republic of Congo.


West International Holdings Limited, the wholly-owned parent company of Hongxing Glass, is a subsidiary of China West Cement Limited (stock code 2233.HK), a Hong Kong-listed company whose main business involves cement production and sales, corporate management and industrial investment, etc. The Group's management headquarters is located in Addis Ababa, the capital of Ethiopia. Relying on the listed company's advantages in capital, technology and talents, the company is currently laying out a number of industries in Ethiopia, Mozambique, Congo (Brazzaville), Congo (Kinshasa) and other African regions, such as cement, glass, gypsum board, assembled buildings and logistics, and has a high reputation and recognition in the industry.

Hongxing Glass has the international first-class advanced equipment and continuously optimises the process, develops and innovates glass technology and provide quality glass products to the global market. Upon completion of the project, the total number of employees will be over 250, including more than 20 professional staffs in the R&D technical team. Equipped with several laboratories for raw material testing, glass performance testing, fuel diversification testing, and glass formulation testing, to ensure our glass products meet the requirements of various types of glass, Hongxing Glass strongly promote the development of new products and technologies. We strive to drive Hongxing Glass into a leading enterprise with global recognition in Africa within three to five years, and provide high quality glass products to our customers. While developing the enterprise, we will also addressing employment issues for local and undertake the social responsibility of the enterprise.

Sales Area: RDC、Angola、Namibie、Afrique du sud、Tanzanie, etc.

Our Products:

Transparent Flat Glass



Product Features:

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

Application Areas:

It can be widely used in various processing such as tempering, hot bending, laminated, hollow, furniture, coating, mirror making, vehicles, optical instrument, etc.

Specification Range:

Min: 914mm×1220mm

Max: 2440mm×3660mm

Various non-standard sizes are available according to customers' needs.

Thickness Range: 1.8mm-8mm

Product Standard: According to GB11641-2009 quality standard



Ultra Thin & Fragile Glass Plate



Product Features:

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

Application Areas:

used to make fire hydrant doors, taking advantage of its thinness and fragility. (Thick glass or PVC cannot be used because they are not fragile and the fire hydrants door require a single blow to break and unbreakable materials are against safety regulations.) vehicles, optical instrument, etc.

Specification Range:

Min: 914mm×1220mm

Max: 2440mm×3660mm


Various non-standard sizes are available according to customers' needs.

Thickness Range: 1.8mm-3mm

Product Standard: According to GB11641-2009 quality standard



Ultra Thin Medical Glass Plate



Product Features:

Smooth surface without ripples, good transparency; the products size can be customized flexibly to reduce slice loss.

Application Areas:

this ultra thin glass is to process Microscope Slides / Glass Slides (e.g.: 76*26 mm) and Cover Glass (e.g.: 10*10 mm or 20*20mm) for laboratory sampling and observation.

Specification Range:

Min: 914mm×1220mm





Max: 2440mm×3660mm

Various non-standard sizes are available according to customers' needs.

Thickness Range: 0.13mm-2mm

Product Standard: Medical Grade



<p>Tinted Flat Glass</p> 	<p>Product Features: Effective in absorbing solar radiation heat, creating a "cool room effect" and achieving thermal insulation and energy saving. Selective absorption of visible light, softening the sunlight, reducing glare (reflected light) and improving the colour of the room. Strong absorption of the sun's ultraviolet rays, effectively preventing fading and deterioration of indoor objects caused by ultraviolet rays. Having a certain degree of transparency, allowing a clear view of outdoor scenes. The glass colour is bright and long-lasting, increase the aesthetic appearance of the building.</p> <p>Application Areas: Architectural doors and windows, external wall decoration coated glass, art processing and other fields</p> <p>Specification Range: Min: 914mm×1220mm Max: 2440mm x 3660mm</p> <p>Various non-standard sizes are available according to customers' needs.</p> <p>Thickness Range: 3mm-8mm, thickness can be customized.</p> <p>Product Standard: According to GB11614-2009 standard</p> 
<p>Heat Reflective Coated Glass</p> 	<p>Product Description: Reflective coated glass, also known as sunlight control film glass, is made by coating the surface of high quality flat glass with one or more layers of metal or compound films by vacuum magnetron sputtering. The main function of the film is to control the amount of solar radiation, reflection, transmission and absorption in the required proportions and to produce the desired reflective colours.</p> <p>Product Features: Effective shading by limiting the amount of direct solar radiation incident. Colourful reflective hue and excellent decorative effects. Good visual shading of interior objects and building structures. Ideal transmission and reflection ratios for visible light. Reduced transmission of UV light.</p> <p>Application Areas: Indoor ecological environment in summer.</p> <p>Size Range: Min: 300mm x 800mm Max: 2440mm x 3660mm</p> <p>Various non-standard sizes are available upon request.</p> <p>Thickness Range: 3mm-8mm, thickness can be customized.</p> <p>Product Standard: According to GB4871-1995 quality standard</p> 

Production Capacity:

◆ Flat glass of thickness 1.5-8mm:	Annual production of 838,000 heavy boxes
◆ Insulating glass of thickness 15 to 50 mm:	Annual production of 300,000 square meters
◆ Coated glass of thickness 3 to 15mm:	Annual production of 320,000 square meters

We also can produce other glass products.

The company provide a full range of pre-sales, sales and after-sales services to our customers.

Advantage and Services:

Advantages of the company:

- ◆ Excellent geographical location, with National Highway No.2 passing in front of the company, 27 km from Brazzaville, the capital of the Republic of Congo, 530 km from the port of Pointe-Noire and across the river from Kinshasa, the capital of the Democratic Republic of Congo.
- ◆ A wide range of glass products of different thicknesses and dimensions can be supplied to customers.
- ◆ We can customise glass products with different specifications according to different needs of customers.
- ◆ With a mature technical research and development team, we constantly carry out research and development of new products to meet different needs of the market.
- ◆ With a perfect transportation team, we can provide door-to-door delivery service at any time.
- ◆ We can provide one-stop service for our customers in combination with assembled housing from the branch factory of our group.

Quality services:

- ◎ Pre-sales service: We can provide various consultations for customers, carry out door-to-door measurements and provide guidance on glass varieties.
- ◎ In-sales service: We can come to customers' location for planning and guidance on installation.
- ◎ After-sales service: timely customer visits, accepting various complaints and assisting customers to solve problems in the process of use.

Contact Person: Dana Wang

Tel/WhatsApp: 0086 18191410508

if you have any inquiry, you are welcome to contact with me on " wangxiaoming@westchinacement.cn" at any time.

Contact Company Name: Shuohai (Xi'an) International Trade Co., Ltd

Both of our Company Shuohai (Xi'an) International Trade Co., Ltd and Hongxing Glass Congo Sarl are branch companys of Wes International Holdings Limited.

Shuohai (Xi'an) International Trade Co., Ltd. It is a wholly owned subsidiary of Wes International Holdings Limited. We are a professional manufacturer & supply and construction materials, mainly including plaster board, oil well cement, building glass, PP woven bags, PP jumbo bags, etc. Our PP Jumbo Bags and PP Woven bags prodction line locoted in China and Plaster Board Oil Well cement & Building Glass prodction line locoted in Aferica. The company has established long-term strategic cooperative relations with more than 50 large-scale Chinese and foreign enterprises, including Sinoma spare parts, Sinoma equipment, Sinoma International, PetroChina, Austria magnesium group, China Academy of building materials science, and the United States, South Africa, Luxembourg, etc.



公司开工仪式
Cérémonie d'ouverture de l'entreprise.



国会议员、金德市长来公司视察
Visite de l'usine par le député Hase de Kinselt.



劳工部负责人来公司调研工作
Le chef du ministère du Travail est venu à l'entreprise pour enquêter sur le travail.



圣诞节活动
Activités de Noël



团队拓展活动
Activités de développement de l'équipe



组织篮球比赛活动
Organiser des activités de basketball.

