

This website uses cookies to improve the user's experience during working with our network and to provide users with dedicated services and functions. By further use you agree with that.OKDetails

Address	Klasing Kabel GmbH Germanenstr. 1 85095 Denkendorf
---------	---

Country	Germany
---------	---------

PRODUCTS OR MACHINERY

Flat Ribbon Cables:

Cross Areas - 32 AWG to 18 AWG as well as other conductor constructions, i.e. according to VDE etc.
Pitch Sizes - every pitch size between 0.635 mm and 8.00 mm
Conductors - Solid bare and tinned regular stranded conductors (also extra flexible) bare and tinned prebonded conductors for automatic processing (7 strand construction) overcoated conductors with extra tinning (7 strand construction)
Single or double outer jacket (PVC, PUR, halogene free)
Zip feature available (extra temperature, extra flexible)
UL/CSA/VDE approvals

Speaker Cables:

Cross Areas - 2 x 0.25 mm² to 2 x 10.00 mm²
Pitch Sizes up to 10.00 mm
Conductors - regular, flexible, extra flexible - bare, tinned, silverplated, OFC
Regular or special design upon customer's request

Round Shielded Cables:

Screen - braided, spiral, or foil screen
Lay-up - single cores laid up or twisted pairs
Cross Areas - 0.08 mm² to 4.00 mm²
Conductors - 1 to 61 conductors . UL/CSA approvals (halogene free)

Multicore Round Cables:

Lay-up - single cores laid up to twisted pairs
Cross Areas - 0.08 mm² to 4.00 mm²
Conductors - 1 to 81 conductors
UL/CSA approval (halogene free)

Car-HiFi-Power-Cables:

Cross Areas from 2.50 mm² to 35.00 mm² - Hook-up wires of nearly all sizes and styles

Special Cables:

Special design and construction upon customer's request

Company Profile of **Klasing Kabel GmbH**

A service of glasssglobal.com, an affiliate of glasssglobal group.

The address material you printed out is copyright and belongs to the Company or to its third party Marketing Agency, and all rights are reserved. Any User who accesses such material may do so only for its own personal use, and the use of such material is at the sole risk of the User. Redistribution or other commercial exploitation of such address material is expressly prohibited. Where such address material is provided by a third party, each User agrees to observe and be bound by the specific terms of use applying to such news material. Glass Global does not represent or endorse the accuracy or reliability of any of the info contained in any address or external websites referred to in this printout. www.glasssglobal.com - The International Portal to the Glass Industry - OGIS GmbH